



**LISTADO DE
PRODUCTOS**

LH PLAST SRL

Julio Roca 53

Tel: 0358 - 4970823

Whatsapp: 358 - 5101718

lhplastventas@gmail.com

Las Higueras 5805 - Rio Cuarto - Cba.



Polypak Línea 125



CODIGO	<i>Diam. Int. X Diam. Ext. x Alt. (en MM)</i>
125-0250-125B	6.35 x 12.70 x 3.17
125-0250-250B	6.35 x 12.70 x 6.35
125-0312-125B	7.94 x 14.28 x 3.17
125-0312-250B	7.94 x 14.28 x 6.35
125-0375-250B	9.52 x 15.88 x 6.35
125-0437-250B	11.11 x 17.46 x 6.35
125-0500-125B	12.70 x 19.05 x 3.17
125-0500-250B	12.70 x 19.05 x 6.35
125-0562-125B	14.27 x 20.62 x 3.17
125-0562-250B	14.27 x 20.62 x 6.35
125-0625-125B	15.88 x 22.22 x 3.17
125-0625-250B	15.88 x 22.22 x 6.35
125-0687-250B	17.46 x 23.81 x 6.35
125-0750-125B	19.05 x 25.40 x 3.17
125-0750-187B	19.05 x 25.40 x 4.74
125-0750-250B	19.05 x 25.40 x 6.35
125-0812-125B	20.62 x 26.97 x 3.17
125-0812-250B	20.62 x 26.97 x 6.35
125-0875-250B	22.22 x 28.58 x 6.35
125-0937-125B	23.74 x 30.09 x 3.17
125-0937-250B	23.80 x 30.15 x 6.35
125-0937-375B	23.80 x 30.15 x 9.52
125-1000-125B	25.40 x 31.75 x 3.17
125-1000-157B	25.40 x 31.75 x 3.98
125-1000-250B	25.40 x 31.75 x 6.35
125-1000-312B	25.40 x 31.75 x 7.94
125-1000-375B	25.40 x 31.75 x 9.52
125-1062-250B	26.97 x 33.32 x 6.35
125-1100-125B	27.94 x 34.28 x 3.17
125-1100-157B	27.94 x 34.28 x 3.98
125-1100-180B	27.94 x 34.28 x 4.57
125-1100-250B	27.94 x 34.28 x 6.35
125-1125-250B	28.58 x 34.92 x 6.35
125-1187-250B	30.16 x 36.51 x 6.35
125-1250-125B	31.75 x 38.10 x 3.17
125-1250-250B	31.75 x 38.10 x 6.35
125-1375-250B	34.92 x 41.28 x 6.35
125-1437-250B	36.51 x 42.86 x 6.35
125-1500-250B	38.10 x 44.45 x 6.35
125-1625-125B	41.28 x 47.62 x 3.17
125-1625-250B	41.28 x 47.62 x 6.35
125-1750-125B	44.45 x 50.79 x 3.17
125-1750-250B	44.45 x 50.79 x 6.35
125-2000-187B	50.80 x 57.15 x 4.74
125-2000-250B	50.80 x 57.15 x 6.35
125-2250-375B	57.15 x 63.50 x 9.52

125-2250-390B	57.15 x 63.50 x 9.92
125-2346-236B	59,58 x 69,93 x 5,99

Polypak Línea 187



CODIGO	<i>Diam. Int. X Diam. Ext. x Alt. (en MM)</i>
187-0250-312B	6.35 x 15.88 x 7.94
187-0312-312B	7.94 x 17.46 x 7.94
187-0375-187B	9.52 x 19.00 x 4.74
187-0437-312B	11.11 x 20.64 x 7.94
187-0500-187B	12.70 x 22.20 x 4.74
187-0500-281B	12.70 x 22.20 x 7,14
187-0500-312B	12.70 x 22.22 x 7.94
187-0562-312B	14.27 x 23.81 x 7.94
187-0625-250B	15.88 x 25.40 x 6.35
187-0625-312B	15.88 x 25.40 x 7.94
187-0687-312B	17.46 x 26.99 x 7.94
187-0750-187B	19.05 x 28.55 x 4.74
187-0750-312B	19.05 x 28.58 x 7.94
187-0812-312B	20.62 x 30.16 x 7.94
187-0875-312B	22.22 x 31.75 x 7.94
187-0937-312B	23.81 x 33.34 x 7.94
187-0937-375B	23.81 x 33.34 x 9.52
187-1000-312B	25.40 x 34.92 x 7.94
187-1125-312B	28.58 x 38.10 x 7.94
187-1187-312B	30.16 x 39.69 x 7.94
187-1250-266B	31.75 x 41.28 x 6.75
187-1250-312B	31.75 x 41.28 x 7.94
187-1250-375B	31.75 x 41.28 x 9.52
187-1312-312B	33.33 x 42.86 x 7.94
187-1375-312B	34.92 x 44.45 x 7.94
187-1375-375B	34.92 x 44.45 x 9.52
187-1437-312B	36.51 x 46.04 x 7.94
187-1500-187B	38.10 x 47.62 x 4.74
187-1500-266B	38.10 x 47.62 x 6.75
187-1500-312B	38.10 x 47.62 x 7.94
187-1500-375B	38.10 x 47.62 x 9.52
187-1575-375B	40.00 x 49.52 x 9.52
187-1625-187B	41.28 x 50.80 x 4.74
187-1625-250B	41.28 x 50.80 x 6.35
187-1625-312B	41.28 x 50.80 x 7.94
187-1625-375B	41.28 x 50.80 x 9.52
187-1750-266B	44.45 x 53.98 x 6.75
187-1750-312B	44.45 x 53.98 x 7.94
187-1750-375B	44.45 x 53.98 x 9.52
187-1812-312B	46.02 x 55.54 x 7.94
187-1812-375B	46.02 x 55.54 x 9.52
187-1875-375B	47.62 x 57.15 x 9.52
187-1937-266B	49.21 x 58.74 x 6.75
187-1937-281B	49.21 x 58.74 x 7.14
187-1937-375B	49.21 x 58.74 x 9.52
187-2000-187B	50.80 x 60.32 x 4.74
187-2000-266B	50.80 x 60.32 x 6.75
187-2000-375B	50.80 x 60.32 x 9.52
187-2125-266B	53.98 x 63.50 x 6.75
187-2125-312B	53.98 X 63.50 X 7.94
187-2125-375B	53.98 x 63.50 x 9.52
187-2187-266B	55.56 x 65.09 x 6.75
187-2187-312B	55.56 x 65.09 x 7.94

187-2187-375B	55.56 x 65.09 x 9.52
187-2250-375B	57.15 x 66.68 x 9.52
187-2375-375B	60.32 x 69.85 x 9.52
187-2500-375B	63.50 x 73.02 x 9.52
187-2625-375B	66.68 x 76.20 x 9.52
187-2750-375B	69.85 x 79.38 x 9.52
187-2875-375B	73.02 x 82.50 x 9.52
187-3000-375B	76.20 x 85.72 x 9.52
187-3125-375B	79.38 x 88.90 x 9.52
187-3250-375B	82.55 x 92.08 x 9.52
187-3375-375B	85.72 x 95.21 x 9.52
187-3500-375B	88.90 x 98.42 x 9.52
187-3625-375B	92.08 x 101.60 x 9.52
187-3750-375B	95.25 x 104.78 x 9.52
187-3875-375B	98.42 x 107.95 x 9.52
187-4000-375B	101.60 x 111.12 x 9.52
187-4375-375B	111.10 x 120.60 x 9.52
187-4500-375B	114.30 x 123.82 x 9.52
187-4750-375B	120.65 x 130.17 x 9.52
187-5000-375B	127.00 x 136.52 x 9.52

Polypak Línea 250



CODIGO	Diam. Int. X Diam. Ext. x Alt. (en MM)
250-0500-375B	12.70 x 25.40 x 9.52
250-0562-250B	14.27 x 26.97 x 6.35
250-0562-375B	14.27 x 26.97 x 9.52
250-0625-375B	15.88 x 28.58 x 9.52
250-0687-250B	17.46 x 30.16 x 6.35
250-0687-375B	17.46 x 30.16 x 9.52
250-0750-375B	19.05 x 31.75 x 9.52
250-0812-375B	20.62 x 33.32 x 9.52
250-0875-375B	22.22 x 34.92 x 9.52
250-1000-375B	25.40 x 38.10 x 9.52
250-1125-375B	28.58 x 41.28 x 9.52
250-1187-375B	30.16 x 42.86 x 9.52
250-1250-312B	31.75 x 44.45 x 7.94
250-1250-375B	31.75 x 44.45 x 9.52
250-1375-375B	34.92 x 47.62 x 9.52
250-1500-375B	38.10 x 50.80 x 9.52
250-1625-375B	41.28 x 53.98 x 9.52
250-1750-375B	44.45 x 57.15 x 9.52
250-1875-375B	47.62 x 60.32 x 9.52
250-1937-281B	49.29 x 61.90 x 7.14
250-1937-375B	49.29 x 61.90 x 9.52
250-2000-250B	50.80 x 63.50 x 6.35
250-2000-375B	50.80 x 63.50 x 9.52
250-2125-375B	53.98 x 66.68 x 9.52
250-2250-375B	57.15 x 69.85 x 9.52
250-2375-375B	60.32 x 73.02 x 9.52
250-2500-250B	63.50 x 76.20 x 6.35
250-2500-375B	63.50 x 76.20 x 9.52
250-2625-375B	66.68 x 79.38 x 9.52
250-2750-375B	69.85 x 82.55 x 9.52
250-2875-375B	73.02 x 85.72 x 9.52
250-3000-375B	76.20 x 88.90 x 9.52
250-3000-562B	76.20 x 88.90 x 14.29
250-3125-375B	79.38 x 92.08 x 9.52

250-3250-375B	82.55 x 95.25 x 9.52
250-3375-375B	85.72 x 98.42 x 9.52
250-3500-250B	88.90 x 101.60 x 6.35
250-3500-375B	88.90 x 101.60 x 9.52
250-3625-375B	92.08 x 104.78 x 9.52
250-3750-375B	95.25 x 107.25 x 9.52
250-3750-562B	95.25 x 107.25 x 14.29
250-3875-375B	98.42 x 111.12 x 9.52
250-4000-375B	101.60 x 114.30 x 9.52
250-4000-562B	101.60 x 114.30 x 14.29
250-4125-375B	104.78 x 117.48 x 9.52
250-4125-562B	104.78 x 117.48 x 14.29
250-4250-375B	107.95 x 120.65 x 9.52
250-4250-562B	107.95 x 120.65 x 14.29
250-4375-375B	111.13 x 123.82 x 9.52
250-4375-562B	111.13 x 123.82 x 14.29
250-4500-375B	114.30 x 127.00 x 9.52
250-4500-562B	114.30 x 127.00 x 14.29
250-4625-562B	117.47 x 130.17 x 14.29
250-4750-375B	120.65 x 133.35 x 9.52
250-4750-562B	120.65 x 133.35 x 14.29
250-4875-375B	123.82 x 136.52 x 9.52
250-5000-375B	127.00 x 139.70 x 9.52
250-5000-562B	127,00 x 139,7 x 14,27
250-5250-375B	133,35 x 146.05 x 9.52
250-5250-562B	133,35 x 146.05 x 14.29
250-5500-375B	139.70 x 152.40 x 9.52
250-5500-562B	139.70 x 152.40 x 14.29
250-5750-562B	146.05 x 158,75 x 14.29
250-6000-375B	152.40 x 165.10 x 9.52
250-6000-562B	152.40 x 165.10 x 14,29
250-6250-562B	158,75 x 171,45 x 14,29
250-6500-562B	165,10 x 177,8 x 14,29
250-7000-562B	177.80 x 190.50 x 14.29

Polypak Línea 312



CODIGO	<i>Diam. Int. X Diam. Ext. x Alt. (en MM)</i>
312-0750-500B	19.05 x 34.91 x 12.70
312-1000-500B	25.40 x 41.28 x 12.70
312-1250-500B	31.75 x 47.62 x 12.70
312-1375-500B	34.92 x 50.80 x 12.70
312-1437-500B	36.51 x 52.39 x 12.70
312-1500-500B	38.10 x 53.98 x 12.70
312-1625-500B	41.28 x 57.15 x 12.70
312-1687-500B	42.86 x 58.74 x 12.70
312-1750-500B	44.45 x 60.32 x 12.70
312-1875-500B	47.62 x 63.50 x 12.70
312-2000-500B	50.80 x 66.68 x 12.70
312-2000-562B	50.80 x 66.68 x 14,29
312-2125-500B	53.98 x 69.85 x 12.70
312-2250-500B	57.15 x 73.02 x 12.70
312-2375-375B	60.32 x 76.20 x 9.52
312-2375-500B	60.32 x 76.20 x 12.70
312-2500-500B	63.50 x 79.37 x 12.70

312-2625-500B	66.68 x 82.55 x 12.70
312-2750-500B	69.85 x 85.72 x 12.70
312-2875-500B	73.02 x 88.90 x 12.70
312-3000-500B	76.20 x 92.06 x 12.70
312-3125-500B	79.38 x 95.22 x 12.70
312-3250-500B	82.50 x 98.34 x 12.70
312-3375-500B	85.72 x 101.60 x 12.70
312-3500-500B	88.90 x 104.78 x 12.70
312-3625-500B	92.08 x 107.93 x 12.70
312-3750-500B	95.25 x 111.11 x 12.70
312-3750-562B	95.25 x 111.11 x 14.29
312-3750-625B	95.25 x 111.11 x 15.88
312-4000-500B	101.60 x 117.46 x 12.70
312-4000-562B	101.60 x 117.46 x 14.29
312-4125-562B	104.78 x 120.66 x 14.29
312-4250-562B	107.95 x 123.82 x 14.29
312-4375-562B	111.13 x 127.00 x 14.29
312-4625-625B	117.47 x 133.33 x 15.88

Polypak Línea 375



CODIGO	Diam. Int. X Diam. Ext. x Alt. (en MM)
375-1000-625B	25.40 x 44.40 x 15.88
375-1250-625B	31.75 x 50.80 x 15.88
375-1375-625B	34.92 x 53.97 x 15.88
375-1500-625B	38.10 x 57.15 x 15.88
375-1625-625B	41.28 x 60.32 x 15.88
375-1750-625B	44.45 x 63.49 x 15.88
375-1875-375B	47.62 x 66.67 x 9,52
375-2000-625B	50.80 x 69.85 x 15.88
375-2125-625B	53.97 x 73.02 x 15.88
375-2250-375B	57.15 x 76.20 x 9.52
375-2250-500B	57.15 x 76.20 x 12.70
375-2250-625B	57.15 x 76.20 x 15.88
375-2375-625B	60.32 x 79.38 x 15.88
375-2500-625B	63.50 x 82.54 x 15.88
375-2625-625B	66.68 x 85.72 x 15.88
375-2750-375B	69.85 x 88.90 x 9.52
375-2750-500B	69.85 x 88.90 x 12.70
375-2750-625B	69.85 x 88.90 x 15.88
375-2875-625B	73.02 x 92.07 x 15.88
375-3000-625B	76.20 x 95.25 x 15.88
375-3125-625B	79.38 x 98.42 x 15.88
375-3250-295B	82.55 x 101.60 x 7.94
375-3250-375B	82.55 x 101.60 x 9.52
375-3250-625B	82.55 x 101.60 x 15.88
375-3375-625B	85.72 x 104.78 x 15.88
375-3500-625B	88.90 x 107.95 x 15.88
375-3625-625B	92.08 x 111.12 x 15.88
375-3685-625B	93.60 x 112.65 x 15.88
375-3750-500B	95.25 x 114.30 x 12.70
375-3750-625B	95.25 x 114.30 x 15.88
375-4000-625B	101.60 x 120.64 x 15.88
375-4125-625B	104.77 x 123.82 x 15.88
375-4250-625B	107.95 x 127.00 x 15.88
375-4500-625B	114.30 x 133.35 x 15.88

375-5000-375B	127.00 x 146.05 x 9.52
375-5000-625B	127.00 x 146.05 x 15.88
375-5500-625B	139.70 x 158.75 x 15.88
375-5750-375B	146.05 x 165.10 x 9.52
375-5750-625B	146.05 x 165.10 x 15.88
375-6000-375B	152.40 x 171.45 x 9,52
375-6000-625B	152.40 x 171.45 x 15.88
375-6250-625B	158,75 x 177,8 x 15.88

Polypak Línea 500



CODIGO	Diam. Int. X Diam. Ext. x Alt. (en MM)
500-1500-750B	38.10 X 63.50 X 19.05
500-2000-750B	50.80 x 76.20 x 19.05
500-3000-750B	76.20 x 101.60 x 19.05
500-3500-750B	88.90 x 114.30 x 19.05
500-4000-375B	101.60 x 127.00 x 9.52
500-4000-750B	101.60 x 127.00 x 19.05
500-4125-750B	104,78 x 130,18 x 19,05
500-4250-750B	107.95 x 133.35 x 19.05
500-4375-750B	111.12 x 136.52 x 19.05
500-4500-750B	114 x 139,7 x 19.05
500-4750-750B	120,65 x 146,05 x 19.05
500-5000-750B	127 x 152,4 x 19.05
500-5500-750B	139,7 x 165,10 x 19.05
500-6000-750B	152,4 x 177,80 x 19.05

Polypak Métricos



MEDIDAS	CODIGO EN PULGADAS
20 x 26 x 6.5	118-0787-256
22 x 30 x 8	157-0866-315
25 x 33 x 8	157-0984-315
25 x 35 x 8	197-0984-315
27 x 34 x 4	138-1063-157
30 x 36 x 5	118-1181-197
30 x 38 x 7	157-1181-276
30 x 40 x 7	187-1181-276
35 x 50 x 7	295-1378-276
40 x 48 x 9.5	157-1575-374
40 x 50 x 6.9	197-1575-272
45 x 53 x 8	157-1772-315
47 x 62 x 11	295-1850-433
50 x 60 x 6.8	197-1969-268
60 x 80 x 12	394-2362-472
65 x 71 x 5.9	116-2559-232
65 x 72 x 6.3	138-2559-248
65 x 76 x 6	217-2559-236

60 X 66 X 6	125-2346-236
-------------	--------------

Polypak Doble Efecto



CODIGO	<i>Diam. Int. X Diam. Ext. x Alt. (en MM)</i>
250-2000-375DE	50.80 x 63.50 x 9.52
250-2500-375DE	63.50 x 76.20 x 9.52
250-3000-375DE	76.20 x 88.90 x 9.52
250-3500-375DE	88.90 x 101.60 x 9.52

Wiper



CODIGO	<i>Diam. Int. X Diam. Ext. x Alt. (en MM)</i>
R-0500	12.70 x 19.05 x 3.17
R-0562	14.28 x 20.63 x 3.17
R-0625	15.87 x 22.22 x 3.17
R-0750	19.05 x 28.57 x 4.76
R-0812	20.63 x 30.16 x 4.76
R-0875	22.22 x 31.75 x 4.76
R-0937	23.80 x 33.30 x 4.76
R-1000	25.40 x 34.92 x 4.76
R-1062	26.00 x 36.40 x 4.76
R-1125	28.57 x 38.10 x 4.76
R-1187	30.16 x 39.68 x 4.76
R-1250	31.75 x 41.27 x 4.76
R-1312	33.34 x 42.86 x 4.76
R-1375	34.92 x 44.45 x 4.76
R-1437	36.50 x 46.03 x 4.76
R-1500	38.10 x 47.62 x 4.76
R-1575	40,00 x 48,00 x 4,70
R-1562	39.68 x 49.21 x 4.76
R-1625	41.27 x 50.80 c 4.76
R-1687	41.90 x 52.30 x 4.76
R-1750	44.45 x 53.97 x 4.76
R-1812	46.03 x 55.56 x 4.76
R-1875	47.62 x 57.15 x 4.76
R-1937	49.20 x 58.70 x 4.76
R-2000	50.80 x 63.50 x 6.35
R-2125	53.97 x 66.67 x 6.35
R-2187	55.56 x 68.26 x 6.35
R-2250	57.15 x 69.85 x 6.35
R-2312	57.60 x 71.40 x 3.35
R-2362	59,90 x 72,10 x 6,35
R-2375	60.32 x 73.02 x 6.35
R-2437	60.80 x 74.50 x 6.35
R-2500	63.50 x 76.20 x 6.35
R-2562	64.00 x 77.70 x 6.35
R-2625	66.67 x 79.37 x 6.35
R-2687	66.67 x 79.37 x 6.35
R-2750	69.85 x 82.55 x 6.35
R-2812	71.43 x 84.13 x 6.35
R-2875	73.02 x 85.72 x 6.35
R-2937	73.50 x 87.20 x 6.35
R-3000	76.20 x 88.90 x 6.35
R-3125	79.37 x 92.07 x 6.35
R-3250	82.55 x 95.25 x 6.35

R-3375	85.72 x 98.42 x 6.35
R-3500	88.90 x 101.60 x 6.35
R-3625	92.07 x 104.77 x 6.35
R-3750	95.25 x 107.95 x 6.35
R-3875	98.42 x 111.12 x 6.35
R-4000	101.60 x 114.30 x 6.35
R-4125	103.60 x 117.40 x 6.35
R-4250	107.95 x 120.65 x 6.35
R-4375	110.00 x 123.70 x 6.35
R-4500	114.30 x 133.35 x 9.52
R-4625	117.47 x 136.52 x 9.52
R-4750	120.65 X 139.70 X 9.52

R-ESPECIAL	Wiper Zanello 36x48x6
------------	-----------------------

PSP



<i>CODIGO..... Oring Equiv.</i>	<i>Diam. Int. X Diam. Ext. x Alt. (en MM)</i>
PSP 2".....(326)	41.28 x 50.80 x 6.15
PSP2" 1/2.....(330)	53.98 x 63.50 x 6.15
PSP3".....(334)	66.68 x 76.20 x 6.15
PSP3" 1/2.....(338)	79.38 x 88.90 x 6.15
PSP4".....(342)	92.08 x 101.60 x 6.15

Fluropack



<i>CODIGO</i>	<i>Diam. Int. X Diam. Ext. x Alt. (en MM)</i>
F-2000	LH Pack 36.50 x 50.80 x 8mm
F-2250	LH Pack 42.85 x 57.15 x 8mm
F-2500	LH Pack 49.20 x 63.50 x 8mm
F-2750	LH Pack 55.55 x 69.85 x 8mm
F-3000	LH Pack 61.90 x 76.20 x 8mm
F-3250	LH Pack 68.25 x 82.55 x 8mm
F-3500	LH Pack 74.60 x 88.90 x 8mm
F-3750	LH Pack 80.95 x 92.25 x 8mm
F-4000	LH Pack 87.30 x 101.60 x 8mm
F-4250	LH Pack 93.75 x 107.95 x 8mm
F-4500	LH Pack 100.00 x 114.30 x 8mm
F-4750	LH Pack 106.35 x 120.55 x 8mm
F-5000	LH Pack 112.70 x 127.00 x 8mm

Sellos GUP



<i>CODIGO</i>	<i>Diam. Int. X Diam. Ext. x Alt. (en MM)</i>
GUP-30x45x10	30 x 45 x 10
GUP-38x44,5x4,6	38 x 44,5 x 4,6
GUP-49x55x4,6	49 x 55 x 4,6

Sellos GPV



<i>CODIGO</i>	<i>Diam. Int. X Diam. Ext. x Alt. (en MM)</i>
GPV 50x65x9	50 x 65 x 9

GPV 78x88x6,5	78 x 88 x 6,5
---------------	---------------

Banda Con Tope (Antifricción)

CODIGO	<i>Diam. Int. X Diam. Ext. x Alt. (en MM)</i>
BAFT Nº1	88 x 93,5 x 15,9
BAFT Nº2	108,4 x 113,9 x 15,9
BAFT Nº3	127,3 x 132,8 x 15,9
BAFT Nº4	147,3 x 152,8 x 15,9
BAFT Nº5	169,8 x 175,3 x 15,9
BAFT Nº6	190,65 x 196,15 x 15,9
KIT BAFT 5"	KIT PARA CILINDRO DE 5"
KIT BAFT 8"	KIT PARA CILINDRO DE 8"

Manchones

CODIGO	<i>Diam. Int. X Diam. Ext. x Alt. (en MM)</i>
Manchon tipo ADA	
(5/7)	Manchon ADA 29 Dientes
(12/17)	Manchon ADA 40 Dientes

Manchon tipo Estrella	
Estrella (N)	Estrella Acrilo Nitrilo
Estrella (S)	Estrella de Silicona

Sellos GPV(doble sellado int.)



CODIGO	<i>Diam. Int. X Diam. Ext. x Alt. (en MM)</i>
GPV-20X28X6	20 X 28 X 6
GPV-20X30X7	20 X 30 X 7
GPV-22X28X7	22 X 28 X 7
GPV-22X30X7	22 X 30 X 7
GPV-25X33X5	25 X 33 X 5
GPV-25X35X7	25 X 35 X 7
GPV-30X38X7	30 X 38 X 7
GPV-30X40X9	30 X 40 X 9
GPV-32X40X6	32 X 40 X 6
GPV-35X45X7	35 X 45 X 7
GPV-40X50X9	40 X 50 X 9
GPV-45X55X10	45 X 55 X 10
GPV-50X60X10	50 X 60 X 10
GPV-55X65X10	55 X 65 X 10
GPV-63X75X10	63 X 75 X 10
GPV-70X85X10,5	70 X 85 X 10,5
GPV-75X85X10	75 X 85 X 10

O'ring Sección 1,78mm

CODIGO	<i>Diam. Int. X Diam. Ext. (en MM)</i>
2-001	Diam Interior 0.74 x Diam Exterior 2.78 mm
2-002	Diam Interior 1.07 x Diam Exterior 3.61 mm
2-003	Diam Interior 1.42 x Diam Exterior 4.46 mm
2-004	Diam Interior 1.78 x Diam Exterior 5.34 mm

2-005	Diam Interior 2.57 x Diam Exterior 6.13 mm
2-006	Diam Interior 2.90 x Diam Exterior 6.46 mm
2-007	Diam Interior 3.68 x Diam Exterior 7.24 mm
2-008	Diam Interior 4.47 x Diam Exterior 8.03 mm
2-009	Diam Interior 5.28 x Diam Exterior 8.84 mm
2-010	Diam Interior 6.07 x Diam Exterior 9.63 mm
2-011	Diam Interior 7.65 x Diam Exterior 11.21 mm
2-012	Diam Interior 9.25 x Diam Exterior 12.81 mm
2-013	Diam Interior 10.82 x Diam Exterior 14.38 mm
2-014	Diam Interior 12.42 x Diam Exterior 15.98 mm
2-015	Diam Interior 14.00 x Diam Exterior 17.56 mm
2-016	Diam Interior 15.60 x Diam Exterior 19.16 mm
2-017	Diam Interior 17.17 x Diam Exterior 20.73 mm
2-018	Diam Interior 18.77 x Diam Exterior 23.33 mm
2-019	Diam Interior 20.35 x Diam Exterior 23.91 mm
2-020	Diam Interior 21.95 x Diam Exterior 25.51 mm
2-021	Diam Interior 23.52 x Diam Exterior 27.08 mm
2-022	Diam Interior 25.12 x Diam Exterior 28.688 mm
2-023	Diam Interior 26.70 x Diam Exterior 30.26mm
2-024	Diam Interior 28.30 x Diam Exterior 31.86 mm
2-025	Diam Interior 29.87 x Diam Exterior 33.43 mm
2-026	Diam Interior 31.47 x Diam Exterior 53.03 mm
2-027	Diam Interior 33.05 x Diam Exterior 36.61 mm
2-028	Diam Interior 34.65 x Diam Exterior 38.21 mm
2-029	Diam Interior 37.82 x Diam Exterior 41.38 mm
2-030	Diam Interior 41.00 x Diam Exterior 44.56 mm
2-031	Diam Interior 44.17 x Diam Exterior 77.63 mm
2-032	Diam Interior 47.35 x Diam Exterior 50.91 mm
2-033	Diam Interior 50.52 x Diam Exterior 54.08 mm
2-034	Diam Interior 53.70 x Diam Exterior 57.26 mm
2-035	Diam Interior 56.87 x Diam Exterior 60.43 mm
2-036	Diam Interior 60.05 x Diam Exterior 63.61 mm
2-037	Diam Interior 63.22 x Diam Exterior 66.78 mm
2-038	Diam Interior 66.40 x Diam Exterior 69.96 mm
2-039	Diam Interior 69.57 x Diam Exterior 73.13 mm
2-040	Diam Interior 72.75 x Diam Exterior 73.31 mm
2-041	Diam Interior 75.92 x Diam Exterior 79.48 mm
2-042	Diam Interior 82.27 x Diam Exterior 85.83 mm
2-043	Diam Interior 88.62 x Diam Exterior 92.18 mm
2-044	Diam Interior 94.97 x Diam Exterior 98.53 mm
2-045	Diam Interior 101.32 x Diam Exterior 104.88 mm
2-046	Diam Interior 107.67 x Diam Exterior 111.23 mm
2-047	Diam Interior 114.02 x Diam Exterior 117.58 mm
2-048	Diam Interior 120.37 x Diam Exterior 123.93 mm
2-049	Diam Interior 126.72 x Diam Exterior 130.28 mm
2-050	Diam Interior 133.07 x Diam Exterior 136.63 mm

O'ring Sección 2,62mm

CODIGO	<i>Diam. Int. X Diam. Ext. (en MM)</i>
2-102	Diam Interior 1.24 x Diam Exterior 6.48 mm
2-103	Diam Interior 2.06 x Diam Exterior 7.30 mm
2-104	Diam Interior 2.84 x Diam Exterior 8.08 mm
2-105	Diam Interior 3.63 x Diam Exterior 8.87 mm
2-106	Diam Interior 4.42 x Diam Exterior 9.66 mm
2-107	Diam Interior 5.23 x Diam Exterior 10.47 mm
2-108	Diam Interior 6.02 x Diam Exterior 11.26 mm
2-109	Diam Interior 7.59 x Diam Exterior 12.83 mm
2-110	Diam Interior 9.19 x Diam Exterior 14.43 mm
2-111	Diam Interior 10.77 x Diam Exterior 16.01mm
2-112	Diam Interior 12.37 x Diam Exterior 17.61 mm
2-113	Diam Interior 13.94 x Diam Exterior 19.18 mm

2-114	Diam Interior 15.54 x Diam Exterior 20.78 mm
2-115	Diam Interior 17.72 x Diam Exterior 22.36 mm
2-116	Diam Interior 18.72 x Diam Exterior 23.96 mm
2-117	Diam Interior 20.30 x Diam Exterior 25.54 mm
2-118	Diam Interior 21.89 x Diam Exterior 27.13 mm
2-119	Diam Interior 23.47 x Diam Exterior 28.71 mm
2-120	Diam Interior 25.07 x Diam Exterior 30.31 mm
2-121	Diam Interior 26.64 x Diam Exterior 31.88 mm
2-122	Diam Interior 28.24 x Diam Exterior 33.48 mm
2-123	Diam Interior 29.82 x Diam Exterior 35.06 mm
2-124	Diam Interior 31.42 x Diam Exterior 36.86 mm
2-125	Diam Interior 32.99 x Diam Exterior 38.23 mm
2-126	Diam Interior 34.59 x Diam Exterior 39.83 mm
2-127	Diam Interior 36.17 x Diam Exterior 41.41 mm
2-128	Diam Interior 37.77 x Diam Exterior 43.01 mm
2-129	Diam Interior 39.34 x Diam Exterior 44.58 mm
2-130	Diam Interior 40.94 x Diam Exterior 46.18 mm
2-131	Diam Interior 42.52 x Diam Exterior 47.76 mm
2-132	Diam Interior 44.12 x Diam Exterior 49.36 mm
2-133	Diam Interior 45.69 x Diam Exterior 50.93 mm
2-134	Diam Interior 47.29 x Diam Exterior 52.53 mm
2-135	Diam Interior 48.90 x Diam Exterior 54.14 mm
2-136	Diam Interior 50.47 x Diam Exterior 55.71 mm
2-137	Diam Interior 52.07 x Diam Exterior 57.31 mm
2-138	Diam Interior 53.64 x Diam Exterior 58.88 mm
2-139	Diam Interior 55.25 x Diam Exterior 60.49 mm
2-140	Diam Interior 56.82 x Diam Exterior 62.06 mm
2-141	Diam Interior 58.42 x Diam Exterior 63.66 mm
2-142	Diam Interior 59.99 x Diam Exterior 65.23 mm
2-143	Diam Interior 61.60 x Diam Exterior 66.84 mm
2-144	Diam Interior 63.17 x Diam Exterior 68.41 mm
2-145	Diam Interior 64.77 x Diam Exterior 70.01 mm
2-146	Diam Interior 66.34 x Diam Exterior 71.58 mm
2-147	Diam Interior 67.95 x Diam Exterior 73.19 mm
2-148	Diam Interior 69.52 x Diam Exterior 74.76 mm
2-149	Diam Interior 71.12 x Diam Exterior 76.36 mm
2-150	Diam Interior 72.69 x Diam Exterior 77.93 mm
2-151	Diam Interior 75.87 x Diam Exterior 81.11 mm
2-152	Diam Interior 82.22 x Diam Exterior 87.46 mm
2-153	Diam Interior 88.57 x Diam Exterior 93.81 mm
2-154	Diam Interior 94.92 x Diam Exterior 100.16 mm
2-155	Diam Interior 101.27 x Diam Exterior 106.51 mm
2-156	Diam Interior 107.62 x Diam Exterior 112.86 mm
2-157	Diam Interior 113.97 x Diam Exterior 119.21 mm
2-158	Diam Interior 120.32 x Diam Exterior 125.56 mm
2-159	Diam Interior 126.67 x Diam Exterior 131.91 mm
2-160	Diam Interior 133.02 x Diam Exterior 138.26 mm
2-161	Diam Interior 139.37 x Diam Exterior 144.61 mm
2-162	Diam Interior 145.72 x Diam Exterior 150.96 mm
2-163	Diam Interior 152.07 x Diam Exterior 157.31 mm
2-164	Diam Interior 158.42 x Diam Exterior 163.66 mm
2-165	Diam Interior 164.77 x Diam Exterior 170.01 mm
2-166	Diam Interior 171.12 x Diam Exterior 176.36 mm
2-167	Diam Interior 177.47 x Diam Exterior 182.71 mm
2-168	Diam Interior 183.82 x Diam Exterior 189.06 mm
2-169	Diam Interior 190.17 x Diam Exterior 195.41 mm
2-170	Diam Interior 196.52 x Diam Exterior 201.76 mm
2-171	Diam Interior 202.87 x Diam Exterior 208.11 mm
2-172	Diam Interior 209.22 x Diam Exterior 214.46 mm

2-173	Diam Interior 215.57 x Diam Exterior 220.81 mm
2-174	Diam Interior 221.92 x Diam Exterior 227.16 mm
2-175	Diam Interior 228.27 x Diam Exterior 233.51 mm
2-176	Diam Interior 234.62 x Diam Exterior 239.86 mm
2-177	Diam Interior 240.97 x Diam Exterior 242.21 mm
2-178	Diam Interior 247.32 x Diam Exterior 252.56 mm

O'ring Sección 3,53mm

CODIGO	<i>Diam. Int. X Diam. Ext. (en MM)</i>
2-201	Diam Interior 4.34 x Diam Exterior 11.40 mm
2-202	Diam Interior 5.90 x Diam Exterior 13.00 mm
2-203	Diam Interior 7.52 x Diam Exterior 14.58 mm
2-204	Diam Interior 9.12 x Diam Exterior 16.18 mm
2-205	Diam Interior 10.69 x Diam Exterior 17.75 mm
2-206	Diam Interior 12.29 x Diam Exterior 19.35 mm
2-207	Diam Interior 13.87 x Diam Exterior 20.93 mm
2-208	Diam Interior 15.47 x Diam Exterior 22.53 mm
2-209	Diam Interior 17.04 x Diam Exterior 24.10 mm
2-210	Diam Interior 18.64 x Diam Exterior 25.70 mm
2-211	Diam Interior 20.22 x Diam Exterior 27.28 mm
2-212	Diam Interior 21.82 x Diam Exterior 28.88 mm
2-213	Diam Interior 23.39 x Diam Exterior 30.45 mm
2-214	Diam Interior 24.99 x Diam Exterior 32.05 mm
2-215	Diam Interior 26.57 x Diam Exterior 33.63 mm
2-216	Diam Interior 28.17 x Diam Exterior 35.23 mm
2-217	Diam Interior 29.74 x Diam Exterior 36.80 mm
2-218	Diam Interior 31.34 x Diam Exterior 38.40 mm
2-219	Diam Interior 32.94 x Diam Exterior 40,00 mm
2-220	Diam Interior 34,54 x Diam Exterior 41,60 mm
2-221	Diam Interior 36,09 x Diam Exterior 43,15 mm
2-222	Diam Interior 37.69 x Diam Exterior 44.75 mm
2-223	Diam Interior 40.87 x Diam Exterior 47.93 mm
2-224	Diam Interior 44.04 x Diam Exterior 51.10 mm
2-225	Diam Interior 47.22 x Diam Exterior 54.28 mm
2-226	Diam Interior 50.39 x Diam Exterior 57.45 mm
2-227	Diam Interior 53.57 x Diam Exterior 60.63 mm
2-228	Diam Interior 56.74 x Diam Exterior 63.80 mm
2-229	Diam Interior 59.92 x Diam Exterior 66.98 mm
2-230	Diam Interior 63.89 x Diam Exterior 70.15 mm
2-231	Diam Interior 66.27 x Diam Exterior 73.33 mm
2-232	Diam Interior 69.44 x Diam Exterior 76.50 mm
2-233	Diam Interior 72.62 x Diam Exterior 79.68 mm
2-234	Diam Interior 75.79 x Diam Exterior 82.85 mm
2-235	Diam Interior 78.97 x Diam Exterior 86.03 mm
2-236	Diam Interior 82.14 x Diam Exterior 89.20 mm
2-237	Diam Interior 85.32 x Diam Exterior 92.38 mm
2-238	Diam Interior 88.49 x Diam Exterior 95.55 mm
2-239	Diam Interior 91.67 x Diam Exterior 98.73 mm
2-240	Diam Interior 94.84 x Diam Exterior 101.90 mm
2-241	Diam Interior 98.02 x Diam Exterior 105.08 mm
2-242	Diam Interior 101.19 x Diam Exterior 108.25 mm
2-243	Diam Interior 104.37 x Diam Exterior 111.43 mm
2-244	Diam Interior 107.54 x Diam Exterior 114.60 mm
2-245	Diam Interior 110.72 x Diam Exterior 117.78 mm
2-246	Diam Interior 113.89 x Diam Exterior 120.95 mm

2-247	Diam Interior 117.07 x Diam Exterior 124.13 mm
2-248	Diam Interior 120.24 x Diam Exterior 127.30 mm
2-249	Diam Interior 123.42 x Diam Exterior 130.48 mm
2-250	Diam Interior 126.59 x Diam Exterior 133.65 mm
2-251	Diam Interior 129.77 x Diam Exterior 136.83 mm
2-252	Diam Interior 132.94 x Diam Exterior 140.00 mm
2-253	Diam Interior 136.12 x Diam Exterior 143.16 mm
2-254	Diam Interior 139.29 x Diam Exterior 146.35 mm
2-255	Diam Interior 142.47 x Diam Exterior 149.53 mm
2-256	Diam Interior 145.64 x Diam Exterior 152.70 mm
2-257	Diam Interior 148.82 x Diam Exterior 155.88 mm
2-258	Diam Interior 151.99 x Diam Exterior 159.05 mm
2-259	Diam Interior 158.34 x Diam Exterior 165.40 mm
2-260	Diam Interior 164.69 x Diam Exterior 171.75 mm
2-261	Diam Interior 171.04 x Diam Exterior 178.10 mm
2-262	Diam Interior 177.39 x Diam Exterior 184.45 mm
2-263	Diam Interior 183.74 x Diam Exterior 190.80 mm
2-264	Diam Interior 190.09 x Diam Exterior 197.15 mm
2-265	Diam Interior 196.44 x Diam Exterior 203.50 mm
2-266	Diam Interior 202.79 x Diam Exterior 209.85 mm
2-267	Diam Interior 209.14 x Diam Exterior 216.20 mm
2-268	Diam Interior 215.49 x Diam Exterior 222.55 mm
2-269	Diam Interior 221.00 x Diam Exterior 228.90 mm
2-270	Diam Interior 228.00 x Diam Exterior 235.25 mm
2-271	Diam Interior 234.54 x Diam Exterior 241.60 mm
2-272	Diam Interior 240.89 x Diam Exterior 247.95 mm
2-273	Diam Interior 247.24 x Diam Exterior 254.30 mm
2-274	Diam Interior 253.59 x Diam Exterior 260.65 mm
2-275	Diam Interior 266.29 x Diam Exterior 273.35 mm
2-276	Diam Interior 278.99 x Diam Exterior 286.05 mm
2-277	Diam Interior 291.69 x Diam Exterior 298.75 mm
2-278	Diam Interior 304.39 x Diam Exterior 311.45 mm
2-279	Diam Interior 329.79 x Diam Exterior 336.85 mm
2-280	Diam Interior 355.19 x Diam Exterior 362.25 mm
2-281	Diam Interior 380.59 x Diam Exterior 387.65 mm
2-282	Diam Interior 405.26 x Diam Exterior 412.32 mm
2-283	Diam Interior 430.66 x Diam Exterior 437.72 mm
2-284	Diam Interior 453.06 x Diam Exterior 463.12 mm

O'ring Sección 5,33mm

CODIGO	Diam. Int. X Diam. Ext. (en MM)
2-309	Diam Interior 10.46 x Diam Exterior 21.12 mm
2-310	Diam Interior 12.07 x Diam Exterior 22.73 mm
2-311	Diam Interior 13.64 x Diam Exterior 24.30 mm
2-312	Diam Interior 15.24 x Diam Exterior 25.90 mm
2-313	Diam Interior 16.81 x Diam Exterior 27.47 mm
2-314	Diam Interior 18.42 x Diam Exterior 29.08 mm
2-315	Diam Interior 19.99 x Diam Exterior 30.65 mm
2-316	Diam Interior 21.59 x Diam Exterior 32.25 mm
2-317	Diam Interior 23.16 x Diam Exterior 33.82 mm
2-318	Diam Interior 24.77 x Diam Exterior 35.43 mm
2-319	Diam Interior 26.34 x Diam Exterior 37.00 mm
2-320	Diam Interior 27.94 x Diam Exterior 38.60 mm
2-321	Diam Interior 29.51 x Diam Exterior 40.17 mm
2-322	Diam Interior 31.12 x Diam Exterior 41.78 mm

2-323	Diam Interior 32.69 x Diam Exterior 43.35 mm
2-324	Diam Interior 34.29 x Diam Exterior 44.95 mm
2-325	Diam Interior 37.47 x Diam Exterior 48.13 mm
2-326	Diam Interior 40.64 x Diam Exterior 51.30 mm
2-327	Diam Interior 43.82 x Diam Exterior 54.48 mm
2-328	Diam Interior 46.99 x Diam Exterior 57.65 mm
2-329	Diam Interior 50.17 x Diam Exterior 60.83 mm
2-330	Diam Interior 53.34 x Diam Exterior 64.00 mm
2-331	Diam Interior 56.52 x Diam Exterior 67.18 mm
2-332	Diam Interior 59.69 x Diam Exterior 70.35 mm
2-333	Diam Interior 62.87 x Diam Exterior 73.53 mm
2-334	Diam Interior 66.04 x Diam Exterior 76.70 mm
2-335	Diam Interior 69.22 x Diam Exterior 79.88 mm
2-336	Diam Interior 72.39 x Diam Exterior 83.05 mm
2-337	Diam Interior 75.57 x Diam Exterior 86.23 mm
2-338	Diam Interior 78.74 x Diam Exterior 89.40 mm
2-339	Diam Interior 81.92 x Diam Exterior 92.58 mm
2-340	Diam Interior 85.09 x Diam Exterior 95.75 mm
2-341	Diam Interior 88.27 x Diam Exterior 98.93 mm
2-342	Diam Interior 91.44 x Diam Exterior 102.10 mm
2-343	Diam Interior 94.62 x Diam Exterior 105.28 mm
2-344	Diam Interior 97.79 x Diam Exterior 108.45 mm
2-345	Diam Interior 100.97 x Diam Exterior 111.63 mm
2-346	Diam Interior 104.14 x Diam Exterior 114.80 mm
2-347	Diam Interior 107.32 x Diam Exterior 117.98 mm
2-348	Diam Interior 110.49 x Diam Exterior 121.15 mm
2-349	Diam Interior 113.67 x Diam Exterior 124.33 mm
2-350	Diam Interior 116.84 x Diam Exterior 127.50 mm
2-351	Diam Interior 120.02 x Diam Exterior 130.68 mm
2-352	Diam Interior 123.19 x Diam Exterior 133.85 mm
2-353	Diam Interior 126.37 x Diam Exterior 137.03 mm
2-354	Diam Interior 129.54 x Diam Exterior 140.20 mm
2-355	Diam Interior 132.72 x Diam Exterior 143.38 mm
2-356	Diam Interior 135.89 x Diam Exterior 146.55 mm
2-357	Diam Interior 139.07 x Diam Exterior 149.73 mm
2-358	Diam Interior 142.24 x Diam Exterior 152.90 mm
2-359	Diam Interior 145.42 x Diam Exterior 156.08 mm
2-360	Diam Interior 148.59 x Diam Exterior 159.25 mm
2-361	Diam Interior 151.77 x Diam Exterior 162.43 mm
2-362	Diam Interior 154.94 x Diam Exterior 165.60 mm
2-363	Diam Interior 158.12 x Diam Exterior 168.78 mm
2-364	Diam Interior 161.29 x Diam Exterior 171.95 mm
2-365	Diam Interior 164.47 x Diam Exterior 175.13 mm
2-366	Diam Interior 167.64 x Diam Exterior 178.30 mm
2-367	Diam Interior 170.82 x Diam Exterior 181.48 mm
2-368	Diam Interior 173.99 x Diam Exterior 184.65 mm
2-369	Diam Interior 177.17 x Diam Exterior 187.83 mm
2-370	Diam Interior 180.34 x Diam Exterior 191.00 mm
2-371	Diam Interior 183.52 x Diam Exterior 194.18 mm
2-372	Diam Interior 186.69 x Diam Exterior 197.35 mm
2-373	Diam Interior 189.87 x Diam Exterior 200.53 mm
2-374	Diam Interior 193.04 x Diam Exterior 203.70 mm
2-375	Diam Interior 196.22 x Diam Exterior 206.88 mm
2-376	Diam Interior 199.39 x Diam Exterior 210.05 mm
2-377	Diam Interior 202.57 x Diam Exterior 213.23 mm
2-378	Diam Interior 205.74 x Diam Exterior 216.40 mm
2-379	Diam Interior 208.92 x Diam Exterior 219.58 mm
2-380	Diam Interior 212.09 x Diam Exterior 222.75 mm
2-381	Diam Interior 215.27 x Diam Exterior 225.93 mm

2-382	Diam Interior 329.57 x Diam Exterior 340.23 mm
2-383	Diam Interior 345.97 x Diam Exterior 365.63 mm
2-384	Diam Interior 380.37 x Diam Exterior 391.03 mm
2-385	Diam Interior 405.26 x Diam Exterior 415.92 mm
2-386	Diam Interior 430.66 x Diam Exterior 441.32 mm
2-387	Diam Interior 456.06 x Diam Exterior 466.72 mm
2-388	Diam Interior 481.41 x Diam Exterior 492.07 mm
2-389	Diam Interior 506.81 x Diam Exterior 517.47 mm
2-390	Diam Interior 532.21 x Diam Exterior 542.97 mm
2-391	Diam Interior 557.61 x Diam Exterior 568.27 mm
2-392	Diam Interior 582.68 x Diam Exterior 593.34 mm
2-393	Diam Interior 608.08 x Diam Exterior 618.74 mm
2-394	Diam Interior 633.48 x Diam Exterior 644.14 mm
2-395	Diam Interior 658.88 x Diam Exterior 669.54 mm

O'ring Sección 6,99mm

CODIGO	<i>Diam. Int. X Diam. Ext. (en MM)</i>
2-425	Diam Interior 113.67 x Diam Exterior 127.65 mm
2-426	Diam Interior 116.84 x Diam Exterior 130.82 mm
2-427	Diam Interior 120.02 x Diam Exterior 134.00 mm
2-428	Diam Interior 123.19 x Diam Exterior 137.17 mm
2-429	Diam Interior 126.37 x Diam Exterior 14.35 mm
2-430	Diam Interior 129.54 x Diam Exterior 143.52 mm
2-431	Diam Interior 132.72 x Diam Exterior 146.70 mm
2-432	Diam Interior 135.89 x Diam Exterior 149.87 mm
2-433	Diam Interior 139.07 x Diam Exterior 153.05 mm
2-434	Diam Interior 142.24 x Diam Exterior 156.22 mm
2-435	Diam Interior 145.42 x Diam Exterior 159.40 mm
2-436	Diam Interior 148.59 x Diam Exterior 162.57 mm
2-437	Diam Interior 151.77 x Diam Exterior 165.75 mm
2-438	Diam Interior 158.12 x Diam Exterior 172.10 mm
2-439	Diam Interior 164.47 x Diam Exterior 178.45 mm
2-440	Diam Interior 170.82 x Diam Exterior 184.80 mm
2-441	Diam Interior 177.17 x Diam Exterior 191.15 mm
2-442	Diam Interior 183.52 x Diam Exterior 197.50 mm
2-443	Diam Interior 189.87 x Diam Exterior 203.85 mm
2-444	Diam Interior 196.22 x Diam Exterior 210.20 mm
2-445	Diam Interior 202.57 x Diam Exterior 216.55 mm
2-446	Diam Interior 215.27 x Diam Exterior 229.25 mm
2-447	Diam Interior 227.97 x Diam Exterior 241.95 mm
2-448	Diam Interior 240.67 x Diam Exterior 250.65 mm
2-449	Diam Interior 253.37 x Diam Exterior 267.35 mm
2-450	Diam Interior 266.07 x Diam Exterior 280.05 mm
2-451	Diam Interior 278.77 x Diam Exterior 292.75 mm
2-452	Diam Interior 291.47 x Diam Exterior 305.45 mm
2-453	Diam Interior 304.17 x Diam Exterior 318.85 mm
2-454	Diam Interior 316.87 x Diam Exterior 330.85 mm
2-455	Diam Interior 329.57 x Diam Exterior 343.55 mm
2-456	Diam Interior 342.27 x Diam Exterior 356.25 mm
2-457	Diam Interior 354.97 x Diam Exterior 368.95 mm
2-458	Diam Interior 367.67 x Diam Exterior 381.65 mm
2-459	Diam Interior 380.37 x Diam Exterior 394.35 mm
2-460	Diam Interior 393.07 x Diam Exterior 407.05 mm
2-461	Diam Interior 405.26 x Diam Exterior 419.24 mm

2-462	Diam Interior 417.96 x Diam Exterior 431.94 mm
2-463	Diam Interior 430.66 x Diam Exterior 444.64 mm
2-464	Diam Interior 443.36 x Diam Exterior 457.34 mm
2-465	Diam Interior 456.06 x Diam Exterior 470.04 mm
2-466	Diam Interior 468.76 x Diam Exterior 408.74 mm
2-467	Diam Interior 481.46 x Diam Exterior 495.44 mm
2-468	Diam Interior 494.16 x Diam Exterior 508.14 mm
2-469	Diam Interior 506.86 x Diam Exterior 520.84 mm
2-470	Diam Interior 532.26 x Diam Exterior 546.24 mm
2-471	Diam Interior 557.66 x Diam Exterior 571.64 mm
2-472	Diam Interior 582.68 x Diam Exterior 596.66 mm
2-473	Diam Interior 608.08 x Diam Exterior 622.06 mm
2-474	Diam Interior 633.48 x Diam Exterior 647.46 mm
2-475	Diam Interior 658.88 x Diam Exterior 672.86 mm

Caja kit de O'ring

CODIGO	DESCRIPCION
KIT-OE	Kit de oring medidas en pulgadas
KIT-OM	Kit de oring medidas en milímetros

